

François Béguin was Professor and leader of the Energy & Environment Group in Orléans University (France) till 2011. From 2011, he is Professor in Poznan University of Technology (Poland), where he has been awarded the WELCOME stipend from the Foundation for Polish Science. His research activities are devoted to chemical and electrochemical applications of carbon materials, with a special attention to the development of nano-carbons with controlled porosity and surface functionality for applications to energy conversion/storage and environment protection. The main topics investigated in his research group are lithium batteries, supercapacitors, electrochemical hydrogen storage, reversible electrosorption of pollutants. He owns several patents related with the synthesis of nano-structured carbon materials (nanotubes, carbons from biomass, ...) and their use for electrochemical systems. He published over 270 papers in high rank international journals and his works are cited in 12000 papers. His Hirsch index is $H = 52$. He is also involved in several books dealing with carbon materials and energy storage. Recently, he edited the book "Supercapacitors - Materials, Systems and Applications. He is a member of the International Advisory Board of the Carbon Conferences and he launched the international conferences on Carbon for Energy Storage and Environment Protection (CESEP). He is member of the editorial board of the journals Carbon and Electrochemical Energy Technology. In the French Agency for Research (ANR), he was Director of national programs on Energy Storage and Hydrogen and Fuel Cells.

Edition of books

1. Carbons for Electrochemical Energy Storage and Conversion Systems, Ed. Béguin F., Frackowiak E., CRC Taylor&Francis (2009).
2. Supercapacitors: Materials, Systems and Applications, Ed. Béguin F., Frackowiak E., Wiley-VCH, Weinheim (2013).

Chapters of books

1. *Application of nanotextured carbons for supercapacitors and hydrogen storage (Chapter 6)*, E. RAYMUNDO-PIÑERO AND F. BÉGUIN, in Activated Carbon Surfaces in Environmental Remediation (Interface Science and Technology, Volume 7), Ed. T.J. Badosz, Elsevier (2006) 293-343.
2. *Nanotextured carbons for electrochemical energy storage*, F. BÉGUIN, E. FRACKOWIAK, in « Nanomaterials Handbook», Ed. Y. Gogotsi, Taylor & Francis, Chapter 26 (2006) 713-737
3. *Surface properties, porosity, chemical and electrochemical applications*, F. BÉGUIN, E. FLAHAUT, A. LINARES-SOLANO, J. PINSON, in Lecture Notes in Physics, Ed. A. Loiseau et al., Springer-Verlag, **677**, 499-553 (2006)
4. *Application of nanoporous carbons and nanotube composites for supercapacitors*, E. FRACKOWIAK ET F. BÉGUIN, in "Recent advances in supercapacitors", Ed. V. Gupta, Transworld Research Network, Chapter 5 (2006).
5. Nanotextured carbons for high performance supercapacitors and electrochemical hydrogen storage, Béguin F., Frackowiak E., in „Carbon materials: Theory and Practice”, Ed. Terzyk P., Gauden P.A., Kowalczyk P., Research Signpost, Kerala (India), pp. 283-304 (2008).
6. Nouveaux développements dans le domaine des supercondensateurs, Béguin F., Raymundo-Piñero E., Techniques de l'Ingénieur, RE92, 4-2008.
7. Electrochemical energy storage, Béguin F., Frackowiak E., in „Adsorption by carbons”, Ed. Bottani E.J. and Tascon J.M.D., Elsevier Publishers (2008), chapter 23, pp. 593-629.
8. Carbon-based nanomaterials for electrochemical energy storage, Frackowiak E., Béguin F., in “Nanotechnology for the energy challenge”, Ed. Garcia-Martinez J., Wiley (2010) , chapter 8, pp. 177-204.
9. Nanocarbons for supercapacitors, Béguin F., Raymundo-Piñero E., in Encyclopedia of Sustainability Science and Technology, Ed. Meyers R. A., Springer (2012), ISBN 978-0-387-89469.

Publications

1. *In-situ ⁷Li Nuclear Magnetic Resonance observation of the reversible lithium insertion into disordered carbons*, F. Chevallier, M. Letellier, M. Morcrette, J.M. Tarascon, E. Frackowiak, J.N. Rouzaud, F. Béguin, Electrochem. Solid State Lett., 6, pp. A225-A228 (2003)
2. *Structural and electrochemical characterization of nitrogen enriched carbons produced by the co-pyrolysis of coal-tar pitch with polyacrylonitrile*, J. Machnikowski, B. Grzyb, J.V. Weber, E. Frackowiak, J.N. Rouzaud, F. Béguin, Electrochimica Acta, 49, pp. 423-432 (2004)
3. *Lithium insertion into boron containing carbons prepared by co-pyrolysis of coal-tar pitch and borane-pyridine complex*, J. Machnikowski, E. Frackowiak, K. Kierzek, D. Waszak, R. Benoit, F. Béguin, J. Phys. Chem. Solids, 65, pp. 153-158 (2004).
4. *A better understanding of the irreversible lithium insertion mechanisms in disordered carbons*, F. Béguin, F. Chevallier, C. Vix, S. Saadallah, J.N. Rouzaud, E. Frackowiak, J. Phys. Chem. Solids, 65, pp. 211-217 (2004).

5. *The first in-situ ⁷Li NMR study of the reversible lithium insertion mechanism in disorganised carbons*, M. Letellier, F. Béguin, F. Chevallier, E. Frackowiak, J.N. Rouzaud, J. Phys. Chem. Solids, 65, pp. 245-251(2004).
6. *Capacitance properties of ordered porous carbon materials prepared by a templating procedure*, K. Jurewicz, C. Vix-Guterl, E. Frackowiak, S. Saadallah, M. Reda, J. Parmentier, J. Patarin, F. Béguin, J. Phys. Chem. Solids, 65, pp. 287-293 (2004).
7. *Supercapacitor electrodes from new ordered porous carbon materials obtained by a templating procedure*, C. Vix-Guterl, S. Saadallah, K. Jurewicz, E. Frackowiak, M. Reda, J. Parmentier, J. Patarin, F. Béguin, Mat. Sci. Engineering, 108, pp. 148-155 (2004).
8. *Synthesis and characterization of carbon nanotubes–TiO₂ nanocomposites*, A. Jitianu, T. Cacciaguerra, R. Benoit, S. Delpeux, F. Béguin, S. Bonnamy, Carbon, 42, pp. 1147-1151 (2004)
9. *Reinforcement of polymers with carbon nanotubes : the role of nanotube surface area*, M. Cadek, J.N. Coleman, K.P. Ryan, V. Nicolosi, G. Bister, A. Fonseca, J. B'Nagy, K. Szostak, F. Béguin, W.J. Blau, Nano Letters, 4, pp. 353-356 (2004)
10. *HRTEM study of activated carbons prepared by alkali hydroxide activation of anthracite*, M. A. Lillo-Ródenas, D. Cazorla-Amorós, A. Linares-Solano, F. Béguin, C. Clinard, J. N. Rouzaud, Carbon, 42, pp. 1305-1310 (2004)
11. *Mechanical properties of multiwall carbon nanotubes/epoxy composites: influence of network morphology*, Y. Breton, G. Désarmot, J. P. Salvétat, S. Delpeux, C. Sinturel, F. Béguin, S. Bonnamy, Carbon, 42, pp. 1027-1030 (2004).
12. *Application of the HSAB concept to the adsorption of metal ions on activated carbons*, A. Alfarrá, E. Frackowiak, F. Béguin, Appl. Surf. Science, 228, pp. 84-92 (2004)
13. *Towards the mechanism of electrochemical hydrogen storage in nanostructured carbon materials*, K. Jurewicz, E. Frackowiak, F. Béguin, Appl. Phys. A78, pp. 981-987 (2004).
14. *Surface characterization of template-synthesised multi-walled carbon nanotubes*, M.R. Babaa, E. Mac Rae, S. Delpeux, J. Ghanbaja, E. Valsaque, F. Béguin, Chem. Phys. Lett. 396, pp. 49-53 (2004).
15. *Development of new supercapacitor electrodes based on carbon nanotubes*, E. Frackowiak, K. Jurewicz, F. Béguin, Polish J. Chem., 78, pp. 1345-1356 (2004).
16. *New carbon multiwall nanotubes-TiO₂ nanocomposites obtained by the sol-gel method*, A. Jitianu, T. Cacciaguerra, M.H. Berger, R. Benoit, F. Béguin, S. Bonnamy, J. Non-Cryst. Solids, 345-346, pp.596-600 (2004).
17. *Performance of manganese oxide/CNTs composites as electrode materials for electrochemical capacitors*, E. Raymundo-Piñero, V. Khomenko, E. Frackowiak, F. Béguin, J. Electrochem. Soc., 152, pp. A229-A235 (2005).
18. *Elastic modulus of multi-walled carbon nanotubes produced by catalytic chemical vapour deposition*, B. Lukić, J. W. Seo, E. Couteau, K. Lee, S. Gradečak, R. Berkecz, K. Hernandi, S. Delpeux, T. Cacciaguerra, F. Béguin, A. Fonseca, J. B'Nagy, G. Csanyi, A. Kis, A.J. Kulik, L. Forró, Appl. Phys. A 80, pp. 695-700 (2005).
19. *KOH and NaOH activation mechanisms of multiwalled carbon nanotubes with different structural organisation*, E. Raymundo-Piñero, P. Azais, T. Cacciaguerra, D. Cazorla-Amorós, A. Linares-Solano, F. Béguin, Carbon 43, pp. 786-795 (2005).
20. *Determination of the specific capacitance of conducting polymer/nanotube composite electrodes using different cell configurations*, V. Khomenko, E. Frackowiak, F. Béguin, Electrochim. Acta, 50, pp. 2499-2506 (2005).
21. *An efficient two-step process for producing high purity samples of opened multi-walled carbon nanotubes*, S. Delpeux, K. Szostak, E. Frackowiak, F. Béguin, Chem. Phys. Lett., 404, pp. 374-378 (2005)
22. *Electrochemical energy storage in ordered porous carbon materials*, C. Vix-Guterl, E. Frackowiak, K. Jurewicz, M. Friebe, J. Parmentier, F. Béguin, Carbon, 43, pp. 1293-1302 (2005)
23. *Freezing/melting of Lennard-Jones fluids in carbon nanotubes*, F.R. Hung, K.E. Gubbins, R. Radhakrishnan, K. Szostak, F. Béguin, G. Dudziak, M. Sliwinska-Bartkowiak, Appl. Phys. Lett., 86, pp. 103110 (2005).
24. *Correlation of the irreversible lithium insertion with the active surface area of modified disordered carbons*, F. Béguin, F. Chevallier, C. Vix, V. Bertagna, J.N. Rouzaud, E. Frackowiak, Carbon, 43, pp. 2160-2167 (2005)
25. *A single step process for the simultaneous purification and opening of multi-walled carbon nanotubes*, E. Raymundo-Piñero, T. Cacciaguerra, P. Simon, F. Béguin, Chem. Phys. Lett., 412, pp. 184-189 (2005)
26. *Carbon aerogels, cryogels and xerogels: Influence of the drying method on the textural properties of porous carbon materials*, N. Job, A. Théry, R. Pirard, J. Marien, L. Kocon, J.N. Rouzaud, F. Béguin, J.P. Pirard, Carbon, 43, pp. 2481-2494 (2005).
27. *A new kind of self-standing electrode for supercapacitors prepared by one-step pyrolysis of carbon nanotubes/polyacrylonitrile blends*, F. Béguin, K. Szostak, G. Lota, E. Frackowiak, Advanced Materials, 17, pp. 2380-84 (2005).
28. *Advantages of electrochemical hydrogen storage over gas adsorption in nanoporous carbons*, F. Béguin, K. Jurewicz, M. Friebe, E. Frackowiak, Ann. Chim. Sci. Mat., 30, pp. 531-539 (2005).
29. *Catalytically grown carbon nanotubes of small diameter having a high Young's modulus*, B. Lukic, J.W. Seo, R.R. Bacsa, S. Delpeux, F. Béguin, G. Bister, A. Fonseca, J.B. Nagy, A. Kis, S. Jeney, A.J. Kulik, L. Forro, Nano Letters, 5, pp. 2074-2077 (2005)
30. *Carbon nanotubes with Pt-Ru catalyst for methanol fuel cell*, E. Frackowiak, G. Lota, T. Cacciaguerra, F. Béguin, Electrochem. Comm., 8, pp. 129-132 (2006).

31. *Annealing of template nanotubes to well-graphitized multi-walled nanotubes*, S. Delpeux, K. Szostak, E. Frackowiak, F. Béguin, *Carbon*, 44, pp. 814-18 (2006).
32. *Optimisation of supercapacitors using carbons with controlled nanotexture and nitrogen content*, E. Frackowiak, G. Lota, J. Machnikowski, C. Vix-Guterl, F. Béguin, *Electrochim. Acta*, 51, pp. 2209-2214 (2006).
33. *High voltage asymmetric supercapacitors operating in aqueous electrolyte*, V. Khomenko, E. Raymundo-Pinero, E. Frackowiak, F. Béguin, *Appl. Phys. A*, 82, pp. 567-573 (2006).
34. *Optimisation of an asymmetric Manganese oxide/Activated carbon capacitor working at 2 V in aqueous medium*, V. Khomenko, E. Raymundo-Pinero, F. Béguin, *J. Power Sources*, 153, pp. 183-190 (2006).
35. *Supercapacitors based on conducting polymer/nanotubes composites*, E. Frackowiak, V. Khomenko, K. Jurewicz, K. Lota, F. Béguin, *J. Power Sources*, 153, pp. 413-418 (2006).
36. *Effect of various porous nanotextures on the reversible electrochemical sorption of hydrogen in activated carbons*, F. Béguin, K. Kierzek, M. Friebe, A. Jankowska, J. Machnikowski, K. Jurewicz, E. Frackowiak, *Electrochim. Acta*, 51, pp. 2161-2167 (2006).
37. *In-vitro studies of carbon nanotubes biocompatibility*, J. Chlopek, B. Czajkowska, B. Szaraniec, E. Frackowiak, K. Szostak, F. Béguin, *Carbon*, 44, pp. 1106-1111 (2006).
38. *Fabrication of network films of conducting polymer-linked polyoxometallate-stabilized carbon nanostructures*, P.J. Kulesza, M. Skunik, B. Baranowska, K. Miecznikowski, M. Chojak, K. Karnicka, E. Frackowiak, F. Béguin, A. Kuhn, M.H. Delville, B. Starobrzynska, A. Ernst, *Electrochim. Acta*, 51, pp. 2373-2379 (2006).
39. *Thermodynamic properties of benzene adsorbed in activated carbons and carbon nanotubes*, P.A. Gauden, A.P. Terzyk, G. Rychlicki, P. Kowalczyk, K. Lota, E. Raymundo-Pinero, E. Frackowiak, F. Béguin, *Chem. Phys. Lett.*, 421, pp. 409-414 (2006).
40. *Thermodynamic and neutron scattering study of hydrogen adsorption in two mesoporous ordered carbons*, T. Roussel, R.J.M. Pellenq, M. Bienfait, C. Vix-Guterl, R. Gadiou, F. Béguin, M. Johnson, *Langmuir*, 22, pp. 4614-4619 (2006).
41. *Textural and electrochemical properties of carbon replica obtained from styryl organo-modified layered double hydroxides*, F. Leroux, E. Raymundo-Pinero, J.M. Nedelec, F. Béguin, *J. Mater. Chem.*, 16, pp. 2074-2081 (2006).
42. *In situ ⁷Li NMR during lithium electrochemical insertion into graphite and a carbon/carbon composite*, M. Letellier, F. Chevallier, F. Béguin, *J. Phys. Chem. Solids*, 67, pp. 1228-1232 (2006).
43. *Solvent-free ionic liquids as in-situ probe for assessing the effect of ions size on the performance of electrical double layer capacitors*, C.O. Ania, J. Pernak, F. Stefaniak, E. Raymundo-Piñero, F. Béguin, *Carbon*, 44, pp. 3126-3130 (2006).
44. *Relationship between the nanoporous texture of activated carbons and their capacitance properties in different electrolytes*, E. Raymundo-Pinero, K. Kierzek, J. Machnikowski, F. Béguin, *Carbon*, 44, pp. 2498-2507 (2006).
45. *A high performance carbon for supercapacitors obtained by carbonization of a seaweed biopolymer*, E. Raymundo-Piñero, F. Leroux, F. Béguin, *Advanced Materials*, 18, pp. 1877-1882 (2006).
46. *Mechanism of electrochemical hydrogen storage using nanoporous carbons as negative electrode material in aqueous medium*, F. Béguin, M. Friebe, K. Jurewicz, C. Vix-Guterl, J. Dentzer, E. Frackowiak, *Carbon*, 44, pp. 2392-2398 (2006).
47. *Application of nanotextured carbons for electrochemical energy storage in aqueous medium*, F. Béguin, *J. Braz. Chem. Soc.*, 17, pp. 1083-1090 (2006).
48. *Mechanism of adsorption and electrosorption of bentazone on activated carbon cloth in aqueous solutions*, C.O. Ania, F. Béguin, *Water Research*, 41, pp. 3372-3380 (2007).
49. *Effects of thermal treatment of activated carbon on the electrochemical behaviour in supercapacitors*, V. Ruiz, C. Blanco, E. Raymundo-Pinero, V. Khomenko, F. Béguin, R. Santamaria, *Electrochim. Acta*, 52, pp. 4969-73 (2007).
50. *The large electrochemical performance of microporous doped carbon obtained by using a zeolite template*, C.O. Ania, V. Khomenko, E. Raymundo-Piñero, J.B. Parra, F. Béguin, *Adv. Funct. Mat.*, 17, pp. 1828-1836 (2007).
51. *Electrochemically assisted adsorption/desorption of bentazone on activated carbon cloth*, C.O. Ania and F. Béguin, *Adsorption*, 13, pp. 579-86 (2007).
52. *Causes of ageing of supercapacitors based on organic electrolyte and activated carbons*, P. Azais, L. Duclaux, P. Florian, D. Massiot, M.A. Lillo-Rodenas, A. Linares-Solano, J.P. Peres, C. Jehoulet, F. Béguin, *J. Power. Sources*, 171, pp. 1046-53 (2007).
53. *High-energy density graphite/AC capacitor in organic electrolyte*, V. Khomenko, E. Raymundo-Piñero, F. Béguin, *J. Power Sources*, 177, pp. 643-51 (2008).
54. *Determination of the space between closed multi-walled carbon nanotubes by GCMC simulation of nitrogen adsorption*, S. Furmaniak, A.P. Terzyk, P.A. Gauden, K. Lota, E. Frackowiak, F. Béguin, P. Kowalczyk, *J. Colloid Interface Science*, 317, pp. 442-448 (2008).
55. *Structural defects play a major role in the acute lung toxicity of multi-wall carbon nanotubes: physicochemical aspects*, I. Fenoglio, G. Greco, M. Tomatis, J. Muller, E. Raymundo-Pinero, F. Béguin, A. Fonseca, J. Nagy, D. Lison, B. Fubini, *Chem. Res. Toxicol.*, 21, pp. 1690-97 (2008).

56. *Surface defects play a major role in the acute lung toxicity of multi-wall carbon nanotubes: toxicological aspects*, J. Muller, F. Huaux, A. Fonseca, J. B'Nagy, N. Moreau, M. Delos, E. Raymundo-Pinero, F. Béguin, M. Kirsch-Volders, I. Fenoglio, B. Fubini, D. Lison, *Chem. Res. Toxicol.*, 21, pp. 1698-1705 (2008).
57. *Carbon/platinum nanotextured films produced by plasma sputtering*, H. Rabat, C. Andreazza, P. Brault, A. Caillard, F. Béguin, C. Charles, R. Boswell, *Carbon*, 47, pp. 209-214 (2009).
58. *Saturation of subnanometer pores in an electric double-layer capacitor*, R. Mysyk, E. Raymundo-Pinero, F. Béguin, *Electrochem. Comm.*, 11, pp. 554-556 (2009)
59. *Tuning carbon materials for supercapacitors by direct pyrolysis of seaweeds*, E. Raymundo-Piñero, M. Cadek, F. Béguin, *Adv. Funct. Mat.*, 19, pp. 1-8 (2009).
60. *Nanoporous H-sorbed carbon as anode of secondary cell*, K. Jurewicz, E. Frackowiak, F. Béguin, *J. Power Sources*, 188, pp. 617-620 (2009)
61. *Evidence for electrochemical interactions between multiwalled carbon nanotubes and human macrophages*, S. Fiorito, M. Monthieux, R. Psaila, P. Pierimarchi, M. Zonfrillo, E. D'Emilia, S. Grimaldi, A. Lisi, F. Béguin, R. Almairac, L. Noé, A. Serafino, *Carbon*, 47, pp. 2789-2804 (2009).
62. *High power supercapacitors using polyacrylonitrile-based carbon nanofiber paper*, E.J. Ra, E. Raymundo-Piñero, Y.H. Lee, F. Béguin, *Carbon*, 47, pp. 2984-2992 (2009).
63. *Polarization-induced distortion of ions in the pores of carbon electrodes for electrochemical capacitors*, C.O. Ania, J. Pernak, F. Stefaniak, E. Raymundo-Piñero, F. Béguin, *Carbon*, 47, pp. 3158-3166 (2009).
64. *Confinement of Symmetric Tetraalkylammonium Ions in Nanoporous Carbon Electrodes of Electric Double-Layer Capacitors*, R. Mysyk, E. Raymundo-Piñero, J. Pernak, F. Béguin, *J. Phys. Chem C*, 113, pp 13443–13449 (2009).
65. *Effect of electrochemical conditions on the performance worsening of Si/C composite anodes for lithium batteries*, Y. Eker, K. Kierzek, E. Raymundo-Piñero, J. Machnikowski, F. Béguin, *Electrochim. Acta*, 55, pp. 729-736 (2010).
66. *Pseudo-capacitance of nanoporous carbons in pyrrolidinium-based protic ionic liquids*, R. Mysyk, E. Raymundo-Piñero, M. Anouti, D. Lemordant, F. Béguin, *Electrochem. Comm.*, 12, pp. 414-417 (2010).
67. *A new type of high energy asymmetric capacitor with nanoporous carbon electrodes in aqueous electrolyte*, V. Khomenko, E. Raymundo-Piñero, F. Béguin, *J. Power Sources*, 195, pp. 4234-4241 (2010).
68. *A symmetric carbon/carbon supercapacitor operating at 1.6 V by using a neutral aqueous solution*, L. Demarconnay, E. Raymundo-Piñero, F. Béguin, *Electrochem. Commun.* 12 (2010) 1275-1278.
69. *Capacitance evolution of electrochemical capacitors with tailored nanoporous electrodes in pure and dissolved ionic liquids*, R.Mysyk, V.Ruiz,E.Raymundo-Piñero, R.Santamaria, F. Béguin, *Fuel Cells*, 10, pp. 834-839 (2010).
70. *High voltage supercapacitor built with seaweed carbons in neutral aqueous electrolyte*, M.P.. Bichat, E. Raymundo-Piñero and F. Béguin, *Carbon*, 48, pp. 4351-4361(2010).
71. *Adjustment of electrodes potential window in an asymmetric carbon/MnO₂ supercapacitor*, L. Demarconnay, E. Raymundo-Piñero, F. Béguin, *J. Power Sources*, 196, pp. 580-586 (2011).
72. *Carbon Nanotubes as Nanotexturing Agents for High Power Supercapacitors Based on Seaweed Carbons*, E. Raymundo-Pinero, M. Cadek, M. Wachtler, F. Béguin, *ChemSusChem.*, 4, pp. 943 – 949 (2011).
73. *Vanadium nitride/Carbon nanotube nanocomposites as electrodes for supercapacitors*, C. Matei-Ghimbeu, E. Raymundo-Piñero, P. Fioux, F. Béguin, C. Vix-Guterl, J. Mater. Chem., 21, pp. 13268-13275 (2011)
74. *A solid state NMR study of C70: a model molecule for amorphous carbons*, M. Deschamps, S. Cadars, E. Gilbert, Ph. Azais, E. Raymundo-Piñero, F. Béguin, D. Massiot, *Solid State NMR*, 42, pp. 81-86 (2012).
75. *Microporous carbons finely-tuned by cyclic high-pressure low-temperature oxidation and their use in electrochemical capacitors*, R. Mysyk, Q. Gao, E. Raymundo-Piñero, F. Béguin, *Carbon*, 50, pp. 3367-3374 (2012).
76. *Electrochemical performance of a hybrid LiC capacitor with a graphite anode preloaded from LiTFSI-based electrolyte*, C. Decaux, G. Lota, E. Raymundo-Piñero, E. Frackowiak, F. Béguin, *Electrochim. Acta*, in press (2012)
77. *Triethylammonium bis(tetrafluoromethylsulfonyl)amide protic ionic liquid as electrolyte for electrical double-layer capacitors*, L. Timperman, P. Skowron, A. Boisset, H. Galiano, D. Lemordant, E. Frackowiak, F. Béguin, M. Anouti, *Phys. Chem. Chem. Phys.*, 14, pp 8199–8207 (2012).
78. *Exploring the large voltage range of carbon/carbon supercapacitors in aqueous lithium sulfate electrolyte*, Q. Gao, L. Demarconnay, E. Raymundo-Piñero, F. Béguin, *Energy Environ. Sci.*, 5, pp. 9611-9617 (2012).
79. *Unusual energy enhancement in carbon-based electrochemical capacitors*, K. Fic, E. Frackowiak, F. Béguin, *J. Mater. Chem.*, 22, pp.24213 – 24223 (2012).

80. *Investigation of methoxypropionitrile as co-solvent for ethylene carbonate-based electrolyte in supercapacitors. A safe and wide temperature range electrolyte*, E. Perricone, M. Chamas, L. Cointeaux, J.-C. Leprêtre, P. Judeinstein, P. Azais, F. Béguin, F. Alloin, *Electrochim. Acta*, 93, pp. 1-7 (2013).
81. *Exploring electrolyte organization in supercapacitor electrodes with solid-state NMR*, M. Deschamps, E. Gilbert, P. Azais, E. Raymundo-Pinero, M.R. Ammar, P. Simon, D. Massiot, F. Béguin, *Nature Mater.*, 12, pp.351–358 (2013).
82. *Suggested improvements in the parameters used for describing the low relative pressure region of the water vapour isotherms of activated carbons*, P. Lodewyckx, E. Raymundo-Piñero, M. Vaclavikova, I. Berezovska, M. Thommes, F. Béguin, G. Dobos, *Carbon*, 60, pp. 556-558 (2013)
83. *Safe and performing electrolytes for supercapacitor. Investigation of esters/carbonate mixtures*, E. Perricone, M. Chamas, J.-C. Leprêtre, P. Judeinstein, P. Azais, E. Raymundo-Pinero, F. Béguin, F. Alloin, *J. Power Sources*, 239, pp. 217-224 (2013).
84. *Influence of Graphite Characteristics on the Electrochemical Performance in Alkylcarbonate LiTFSI Electrolyte for Li-Ion Capacitors and Li-Ion Batteries*, C. Matei Ghimbeu, C. Decaux, P. Brender, M. Dahbi, D. Lemordant, E. Raymundo, M. Anouti, F. Béguin, C. Vix-Guterl, *J. Electrochem. Soc.* 160 (2013) A1907-A1915.
85. *Carbon/carbon supercapacitors*, E. Frackowiak, Q. Abbas, F. Béguin, *J. Ener. Chem.* 22 (2013) 226-240.
86. *Carbons for supercapacitors obtained by one-step pressure induced oxidation at low temperature*, E. Raymundo, Q. Gao, F. Béguin, *Carbon* 61 (2013) 278-283.
87. *Optimizing the performance of supercapacitors based on carbonelectrodes and protic ionic liquids as electrolytes*, L. Demarconnay, E.G. Calvo, L. Timperman, M. Anouti, D. Lemordant, E. Raymundo, A. Arenillas, J.A. Menéndez, F. Béguin, *Electrochim. Acta* 108 (2013) 361– 368.
88. *Carbon Nanofibers Grafted on Activated Carbon as an Electrode in High-Power Supercapacitors*, G. Gryglewicz, A. Sliwak, F. Béguin, *ChemSusChem*, 6 (2013) 1516–1522.
89. *New insights on electrochemical hydrogen storage in nanoporous carbons by in situ Raman spectroscopy*, S. Leyva-Garcia, E. Morallon, D. Cazorla-Amoros, F. Béguin, D. Lozano-Castello, *Carbon* 69 (2014) 401-408.
90. *Comparative Study of Two Protic Ionic Liquids as Electrolyte for Electrical Double-Layer Capacitors*, L. Timperman, F. Béguin, E. Frackowiak, M. Anouti, *J. Electrochem. Soc.* 161 (2014) A228-A238.
91. *Ammonia Treatment of Activated Carbon Powders for Supercapacitor Electrode Application*, A. Laheäär, S. Delpoux, E. Lust, F. Béguin, *J. Electrochem. Soc.* 161 (2014) A568-A575.
92. *Factors contributing to ageing of high voltage carbon/carbon supercapacitors in salt aqueous electrolyte*, P. Ratajczak, K. Jurewicz, F. Béguin, *J. Appl. Electrochem.* 44 (2014) 475–480.
93. *Effect of accelerated ageing on the performance of high voltage carbon/carbon electrochemical capacitors in salt aqueous electrolyte*, P. Ratajczak, K. Jurewicz, P. Skowron, Q. Abbas, F. Béguin, *Electrochim. Acta* 130 (2014) 344–350.
94. *Carbons and Electrolytes for Advanced Supercapacitors*, F. Béguin , V. Presser, A. Balducci, E. Frackowiak, *Adv. Mater.* 26 (2014) 2219–2251.

Patents

1. *Wtorne ogniwo wodor/powietrze (A secondary hydrogen/air cell)*, K. JUREWICZ, E. FRACKOWIAK, F. BÉGUIN, Brevet Polonais P-372678 du 18 Janvier 2005 – *Hydrogen-air secondary cell*, Brevet International PCT/IB2006/0000227 du 7 février 2006
2. *Carbonized biopolymers as electrode material in electrochemical capacitors*, F. BÉGUIN, E. RAYMUNDO-PINERO, M. CADEK, Brevet Européen 06 002 103.7 du 1^{er} février 2006.
3. *Electrochemical capacitor with two carbon electrodes of different nature in aqueous medium*, Khomenko V., Raymundo-Piñero E., Béguin F., French patent FR 06 10483 from 30 November 2006. International patent PCT/FR2007/001969.
4. *Composite for supercapacitors comprizing carbonized biopolymers and carbon nanotubes*, Béguin F., Raymundo-Piñero E., Wachtler M., Cadek M., European patent 2007EP-0003318 from 16 February 2007.
5. *Electrochemical capacitor*, Béguin F., Demarconnay L., Raymundo-Piñero E., International patent PCT/EP2011/054147 from 18 March 2011.
6. *Hybrid carbon/carbon supercapacitor*, Béguin F., Decaux C., Lota G., Raymundo E., Anouti M., Lemordant D., Azais P., Frackowiak E., no PCT/FR2012/050837.

7. Fabrication process of a silicium/carbon composite and use of this material. Béguin F., Jouanneau S., Raymundo-Piñero E., Paireau C., French patent application 1102846 (20/09/2011).
8. Fluorinated carbonates in hybrid supercapacitors. Patent Solvay/ CNRS/Orleans University, n°12305093.2 (25/01/2012).
9. Fluoropolymers as binder for the electrodes in supercapacitors. Patent Solvay/ CNRS/Orleans University, n°12305094.0 (25/01/2012).
10. Supercapacitors with separators comprising fluoropolymers. Patent Solvay/ CNRS/Orleans University, n°12305095.7 (25/01/2012).
11. Supercapacitors with electrodes comprising graphene. Patent Solvay/ CNRS/Orleans University, n°12305096.5 (25/01/2012).
12. Pernak J., Górka B., Béguin F., Protonowe cieczy jonowe z kationem 1-(2-chloroetylo)pirolidyniowym oraz sposób ich otrzymywania, P- 399306; (04.06.2012).
13. Pernak J., Górka B., Béguin F., Protonowe cieczy jonowe z kationem (chloroetylo)dimetyloamoniowym oraz sposób ich otrzymywania, P- 399308; (04.06.2012).
14. Pernak J., Górka B., Béguin F., Niemczak M., Protonowe cieczy jonowe z kationem 1-(2-chloroetylo)piperidyniowym oraz 1-(2-chloroetylo)morfoliniowym oraz sposób ich otrzymywania; P- 400709; (18.09.2012).
15. Pernak J., Górka B., Béguin F., Niemczak M., Protonowe cieczy jonowe z kationem (2-chloroalkilo)dietyloamoniowym oraz sposób ich otrzymywania; P-400708; (10.09.2012).
16. Béguin F., Kleszyk P., Węgle aktywne samoaktywujące się z tytoni oraz sposób ich wytwarzania, Zgłoszenie oznaczono numerem P.401641.
17. Béguin F., Kleszyk P., Kondensator elektrochemiczny z elektrodami z węgla aktywnego wytworzonego w procesie jednoczesnej samoaktywacji oraz karbonizacji tytoniu. Zgłoszenie oznaczono numerem P.401640.
18. Abbas Q., Kleszyk P., Béguin F., Kondensator elektrochemiczny operujący w wodnych roztworach soli o ulepszonych właściwościach anty-korozyjnych dla kolektorów prądowych ze stali nierdzewnej. Zgłoszenie oznaczono numerem P 403853, 2013.
19. Béguin F., Frąckowiak E., Kleszyk P., Production of activated carbon from tobacco leaves by simultaneous carbonization and self-activation and the activated carbon thus obtained' PCT/PL2013/050030, 16 November 2013.
20. Pernak J., Béguin F., Górka B., Kurzawska A., Marcinkowska K., Praczyk T., (Hydroksy-alkilo)dimetyloamoniowe protonowe cieczy jonowe z anionem tiocyjanianowym oraz sposób ich otrzymywania. Zgłoszenie oznaczono numerem P.406109 (18.11.2013).
21. Pernak J., Béguin F., Górka B., Kurzawska A., Marcinkowska K., Praczyk T., (Chloroal-kilo)dimetylowe protonowe cieczy jonowe z anionem tiocyjanianowym oraz sposób ich otrzymywania. Zgłoszenie oznaczono numerem P.406108 (18.11.2013).
22. Pernak J., Béguin F., Górka B., Kurzawska A., Marcinkowska K., Praczyk T., 1-Alkilopi-perydyniowe protonowe cieczy jonowe z anionem tiocyjanianowym oraz sposób ich otrzymywania. Zgłoszenie oznaczono numerem P.406107 (18.11.2013).
23. Béguin F., Frąckowiak E., Abbas Q., High energy electrochemical capacitor in aqueous electrolyte. PCT/PL2014/050002, 20 January 2014.